ATLANTIS® LAND

where solutions begin

Quick installation guide

I-FLY PCMCIA WIRELESS CARD
A02-WPCM-11B

A02-WPCM-11B_GE01(August 2003)

Installation

Windows 98/2000/ME/XP

The following installation operates under Windows 2000.
The procedures will be the same for Windows 98/ME/XP.

NOTE: Be sure that there is no PCMCIA adaptor connected to the computer at this stage.

1) Power on the computer and allow Windows 98/2000/ME/XP to load fully.
2) Insert the driver CD into the CD-ROM device and execute the “Setup.exe” program. The installshield wizard box will appear, click “Next“ to continue.
3) Click “Browse“ to locate the driver on your CD-ROM, then click “Next“ to select the right folder.
4) The following wizard box will appear to show the folder’s information.
5) After Windows 2000 finishes copying files, it shows “Windows has finished installing the software for this device.” Click “Finish” to complete the installation.
6) Message notifying you to restart your computer may pop up. Select “Yes” to restart your computer.
7) After reboot, connect the Wireless **PCMCIA CARD** to the PCMCIA port, and the Windows System will found the “NEW HARDWARE”, then click “NEXT”.


Installazione guidata nuovo hardware.
Installazione guidata nuovo hardware
Questa procedura guidata consente di installare il software per:
Am1772(tm) Wireless LAN Chipset
Se la periferica è dotata di un CD o un disco floppy di installazione, inserirlo nell'apposita unità.
Scegliere una delle seguenti opzioni:
Installa il software automaticamente (scelta consigliata)
Installa da un elenco o percorso specifico (per utenti esperti)
Per continuare, scegliere Avanti.
< Indietro
Avanti >
Annulla

8) select the folder from copy the driver (**e:/A02-WPCM-11B/driver/win98&me …./win2k&xp**) then click “NEXT”.


Installazione guidata nuovo hardware.
Selezionare dall'elenco la configurazione che più si avvicina all'hardware in uso.
Am1772(tm) Wireless LAN Chipset
Versione
Produttore
Percorso
Chipset sconosciuta Advanced Micro Devices c:\windows\inf\oem22.inf
Chipset sconosciuta Advanced Micro Devices e:\driver\win98&me\netam772.inf
Chipset sconosciuta Advanced Micro Devices e:\driver\win2k&xp\netam772.inf
Driver senza firma digitale.
Informazioni sulla firma del driver
< Indietro
Avanti >
Annulla

8) Windows System will install the rest of the driver from the right folder(if the operating system display the "**Windows logo**" message, click "**CONTINUE"** to terminate the installation).
9) Message notifying you to restart your computer may pop up. Select "Yes" to restart your computer.

Note: If the "Configuration & Monitor Utility" icon is not shown on the system tray , it means that the installation was not successful. Select "Uninstall" from menù "AVVIO/PROGRAMMI/Wireless LAN Utility" to remove the device, then restart your computer and repeat the installation.
For activate the wireless connection , select "Automatically configure my wireless connection" and "any available network defined above" clicking on menù "AMD Wireless configuration" selecting "Wireless Networks", then click "SCAN NOW".



** Windows XP:

Windows XP has built-in support for wireless networking utility.

ATTENTION: after the installation 2 icons will appear in the "System Tray". Click twice on the network connection icon, then click on “Next”, then at the menu “Network wireless” and lately disactivate “Use windows for setting wireless network”.



SUPPORT

If you have any problems with the product, please contact the dealer where you bought this product. If you have any other questions you can contact the Atlantis Land company directly at the following address:

- **Atlantis Land S.p.A.**
- **Via Gandhi 5 Ing2, Scala A**
- **20017 Mazzo di Rho (MI)**

Tel: +39.(0)2.93906085
Fax: +39.(0)2.93906161
Help Desk :+39.(0)2.93907634
Email: tecnici@atlantis-land.com
WWW: www.atlantis-land.com